


# Make it Snappy®



Proudly Made in the USA



ADAPTS ALL  
1/4" HEX  
POWER BIT TOOLS  
TO YOUR  
POWER DRILL

No more hassling with a chuck key!  
Just push your bit into the **Quick Chuck™**  
and it's locked in place. Change bits instantly!

Edition June 2014

# Introduction

## JPM TOOLS PTY LTD

JPM TOOLS Pty Ltd specialise in the distribution of quality products to the hardware and tools markets. Cutting tools are a key element of the business.

JPM TOOLS is the exclusive Australian distributor for the Snappy® brand of quick change chucks and accessories. Manufactured in the USA by Polytech Industries, the originators of the quick change concept, the Snappy brand has maintained its reputation for quality and service reliability.

New products introduced in this catalogue are clear evidence of continued innovation and product development.

## SNAPPY QUICK CHUCKS™

This revolutionary system is designed to provide instant change over of standard ANSI 1/4" Hex drive power bits without the use of a chuck key. When used with the SNAPPY® range of 1/4" hex drive tools, the system allows the operator to use only one power tool for drilling, countersinking, counterboring, boring and driving, therefore saving time and effort.

The SNAPPY QUICK CHUCK™ is designed so that bits "snap" and lock in securely using a slip ring to allow instant installation and removal. Flat surfaces on the SNAPPY QUICK CHUCK™ shank prevent slipping within drill chucks and provide a positive no slip drive from drill motor to tool tip. SNAPPY QUICK CHUCKS™ can also be used in drill presses.

## SNAPPY® DRILL ADAPTORS

Each drill adaptor has a standard ANSI 1/4" hex drive shank and is designed with a spring steel collet to accept normal HSS jobber drills in various sizes, including numbered, imperial and metric. Seventeen different adaptors cover all standard metric and imperial sizes from 1mm to 3/8". This system provides instant change over from one drill size to another.

When used with a SNAPPY QUICK CHUCK™ and a 1/4" hex drive screwdriver bit, the adaptor allows an operator to drill a hole then drive a screw with minimum delay in tool change over. The standard 1/4" hex drive will also fit directly into many cordless power tools.

## SNAPPY® COUNTERBORES/COUNTERSINKS

Arguably the best counterbore/countersink available in Australia. The product is manufactured with an 82° countersink angle and a 3/8" or 1/2" counterbore with 2 super sharp cutting edges and deep non-clogging flutes. Standard HSS jobber drills are included and are easily adjusted for depth. Five different sizes cover the range from 5/64" to 3/16" in alloy steel and in tungsten carbide tipped. Instant change over benefits arise when used with SNAPPY QUICK CHUCKS™.

## SNAPPY® DRILL GUIDES

Designed specifically for centering pilot holes in countersunk mounting plates such as hinges and the like, the SNAPPY® DRILL GUIDE has a hardened steel bushing at the point of a spring loaded sleeve surrounding a HSS drill. Again, instant change over benefits arise when used with SNAPPY QUICK CHUCKS™.

## MERCHANDISING

All sets are supplied in clam shell packs. All individual items are supplied on hang sell cards

JPM TOOLS Pty Ltd reserve the right to change pricing and/or product specifications without notice.

Product		Page
<b>Countersinks/Counterbores</b> 	- Conformat Step Drills	7
	- Gold Screw Countersinks/Counterbores	6
	- Gold Screw Countersink/Counterbore Sets	7
	- Stop Collars	7
	- Tool Steel Countersink	7
	- Tungsten Carbide Tipped Countersinks/Counterbores	6
<b>Drill Adaptors</b> 	- Drill Adaptors	5
	- Drill Adaptor Sets	5
<b>Drill Guides</b> 	- Brad Point Replacement Drills	8
	- Forstner Bit (35mm Tungsten Carbide Tipped)	9
	- Hinge Bit Replacement Drills	8
	- Self Centering Hinge Bits	8
	- Self Centering Hinge Bit Sets	9
	- Self Centering Shelf Pin Drill Guides	8
	- Shelf Pin Drilling Jig	8
<b>Plug Cutters</b> 	- Plug Cutters	9
<b>Quick Chucks</b> 	- Extensions with Quick Change Chucks	4
	- Magnetic Bit Holders	4
	- Quick Change Chucks	4
<b>Tool Pouch Kits</b> 	- 25 Piece Tool Pouch	10
	- Deluxe Countersink Set	10
<b>Index</b>		11

# Quick Chucks

## Quick Change Chucks



**Model No. 40011**  
Standard industrial chuck with knurled sleeve.



**Model No. 40012**  
Mini-chuck, smaller for tight spaces. Tools are locked in drive channel with a uniquely formed tempered spring.



**Model No. 41102**  
Screw chuck replaces the chuck on your power drill (3/8" - 24 thread).



**Model No. 41103**  
SDS+ chuck allows for use with your SDS+ machine.

MODEL NO.	DESCRIPTION	BARCODE	RRP
40011	Snappy Quick Chuck	762234400116	28.50
40012	Snappy Mini Quick Chuck	762234400123	23.00
41102	Snappy Screw Quick Chuck	762234411020	43.00
41103	Snappy SDS+ Quick Chuck	762234411037	43.00

- ✓ Suits power bits or insert bits
- ✓ Extend the reach of your drill
- ✓ Once locked in, bits will not pull out of extension

## Extensions with Quick Change Chuck



MODEL NO.	DESCRIPTION	BARCODE	RRP
40013	Snappy 3" Extension with Quick Chuck	762234400130	26.00
40016	Snappy 6" Extension with Quick Chuck	762234400161	29.00

## Magnetic Bit Holders



**Model No. 40003**  
Magnetic bit holder with sliding locator sleeve for insert bits




**Model No. 41100**  
Magnetic bit holder with locking quick change chuck locks on power bits and extra tight grip on insert bits

MODEL NO.	DESCRIPTION	BARCODE	RRP
40003	Snappy 3" Magnetic Bit Holder with Sliding Locator Sleeve	762234400031	14.50
41100	Snappy Magnetic Bit Holder with Locking Quick Chuck	762234411006	31.50

# Drill Adaptors

## Drill Adaptors

- ✓ Convert standard drill bits to 1/4" hex power bits
- ✓ Standard 1/4" hex shank - fits all power bit quick change chucks
- ✓ Standard hex shank fits impact drivers
- ✓ Supplied without drill bits



MODEL NO.	IMPERIAL SIZE	METRIC SIZES	BARCODE	RRP
42004	1/16"	1.40 to 1.61mm	762234420046	13.00
42005	5/64"	1.70 to 2.08mm	762234420053	13.00
42006	3/32"	2.18 to 2.50mm	762234420060	13.00
42007	7/64"	2.53 to 2.87mm	762234420077	13.00
42008	1/8"	2.95 to 3.26mm, #30	762234420084	13.00
42008B	1/8"	2.95 to 3.26mm, #30	762234490087	12.00 (sold in packs of 10)
42009	9/64"	3.45 to 3.66mm	762234420091	13.00
42010	5/32"	3.73 to 4.09mm, #20	762234420107	13.00
42011	11/64"	4.22 to 4.50mm	762234420114	13.00
42012	3/16"	4.57 to 4.85mm, #11	762234420121	13.00
42013	13/64"	4.91 to 5.22mm	762234420136	13.00
42014	7/32"	5.31 to 5.61mm	762234420145	13.00
42015	15/64"	5.79 to 6.05mm	762234420152	13.00
42016	1/4"	6.15 to 6.35mm	762234420169	16.00
42018	9/32"	6.91 to 7.14mm	762234420183	16.00
42020	5/16"	7.67 to 8.00mm	762234420206	18.50
42024	3/8"	9.50 to 9.56mm	762234420244	18.50



## Drill Adaptor Set

- ✓ Standard 1/4" hex shank - fits all power bit quick change chucks
- ✓ Standard hex shank fits impact drivers
- ✓ Supplied with bright finish high speed steel drill bits
- ✓ Individual bits are replaceable
- ✓ Set includes shank socket to facilitate drill replacement

MODEL NO.	DESCRIPTION	BARCODE	RRP
40020	Snappy 7 Piece Drill Adaptor Set (1/16" to 1/4" x 1/32")	762234400208	86.00

**Make it  
Snappy®**



# Countersinks

## Gold Screw Countersinks

- ✓ **Combination countersink** - Drill pilot, countersink or counterbore in one step
- ✓ **Large 1/4" hardened set screw** - Easily adjust length of drill bit for correct depth of pilot hole.  
1/4" set screw will securely hold drill bit to prevent slippage
- ✓ **82 degree countersink angle** - Set screw heads tight and flush to the surface.  
Use optional depth stops to easily control depth of countersink
- ✓ **Counterbore** - Set screw head below surface. Use standard wood plugs or cut your own (matching) plugs to cover screw
- ✓ **Alloy steel** - Through-hardened to Rc 60 for long cutting life. Can be resharpened
- ✓ **1/4" standard hex shank** - Fits all quick change chucks or any standard drill chuck.  
Milled flats on shaft prevent slippage in standard chucks
- ✓ Supplied with standard point HSS drill bits



MODEL NO.	IMPERIAL SIZE	HARDWOOD	SOFT WOOD	COUNTERBORE SIZE	BARCODE	RRP
43005	5/64"	4g screws		3/8"	762234430050	20.00
43006	3/32"		6g screws	3/8"	762234430069	20.00
43007	7/64"	6g screws	8g screws	3/8"	762234430076	20.00
43008	1/8"	8g screws	10g screws	3/8"	762234430083	20.00
43008B	1/8"	8g screws	10g screws	3/8"	9317468430081	19.00 (sold in packs of 10)
43019S	9/64"			3/8"	762234430199	23.00
43009	9/64"	10g screws	12g screws	1/2"	762234430090	20.00
43010S	5/32"			1/2"	762234430106	23.00
43011S	11/64"			1/2"	762234430113	23.00
43012S	3/16"	14g screws		1/2"	762234430120	23.00

## TCT Gold Screw Countersinks/Counterbores

- ✓ Drill the pilot hole and countersink (or counterbore) in one easy step.
- ✓ TCT (Tungsten Carbide Tips) provide superior wear resistance
- ✓ TiN coated twist drills with parabolic flutes allow faster chip ejection
- ✓ Perfect for laminate countertops, melamine, exotic hardwoods and other tough materials
- ✓ 5 Piece Set Available (model no. 46030)

MODEL NO.	IMPERIAL SIZE	COUNTERBORE SIZE	BARCODE	RRP
46335	5/64"	3/8"	762234463357	40.00
46336	3/32"	3/8"	762234463364	40.00
46337	7/64"	3/8"	762234463371	40.00
46338	1/8"	3/8"	762234463388	40.00
46309	9/64"	1/2"	762234463098	40.00
46330	5/32"	3/8"	762234463302	42.00
46332	3/16"	3/8"	762234463326	47.00
46030	5/64" - 9/64"	3/8" - 1/2"	762234460301	180.00



# Countersinks

## Gold Screw Countersink Sets



MODEL NO.	DESCRIPTION	BARCODE	RRP
40030	Snappy 5 Piece Countersink/Counterbore Set (Includes 5/64", 3/32", 7/64", 1/8" & 9/64")	762234400307	80.00
43400	Snappy Quick Chuck & 3 Piece Countersink/Counterbore Set (Includes 7/64", 1/8" & 9/64")	762234434005	78.00



## Tool Steel Countersink

MODEL NO.	DESCRIPTION	BARCODE	RRP
48240	Snappy 5/8" Diameter x 82 Degree Tool Steel Countersink	762234482402	32.00

## Countersink Stop Collars

- ✓ Control the depth of countersink for uniform appearance
- ✓ Stop location is adjustable



MODEL NO.	DESCRIPTION	SIZE	BARCODE	RRP
43124	Stop Collar for countersinks up to 1/8"	3/8"	762234431240	9.00
43132	Stop Collar for 9/64" countersinks only	1/2"	762234431325	9.00

## Confirmat Step Drills

- ✓ For connecting confirmat/director screw applications
- ✓ Supplied with brad point drill bit
- ✓ 1/4" standard hex shank




MODEL NO.	DESCRIPTION	SIZE	BARCODE	RRP
43540	Confirmat Step Drill - 5 x 40mm (3.5/5.0/7.0mm)	3.5mm - 7.0mm	762234435408	40.00
43750	Confirmat Step Drill - 7 x 50mm (5.0/7.0/10.0mm)	5.0mm - 10.0mm	762234437501	42.00

# Drill Guides

## Self Centering Hinge Bits

- ✓ Use self centering hinge bits for accurate drilling of holes for hinges, handles, drawer slides, etc..
- ✓ Standard 1/4" hex shank - fits all power bit quick change chucks
- ✓ Includes HSS drill bit



MODEL NO.	SIZE	HARDWOOD	SOFT WOOD	BARCODE	RRP
45105	5/64"	2g screws	4g screws	762234451057	28.50
45107	7/64"	6g screws		762234451071	28.50
45109	9/64"	8g screws	10g screws	762234451095	31.50
45111	11/64"	12g screws		762234451118	57.00
45113	13/64"	14g screws		762234451132	57.00


## Hinge Bit Replacement Drills



MODEL NO.	SIZE	DESCRIPTION	BARCODE	RRP
49105	5/64"	Replacement Drill to suit 45105	762234491053	9.00
49107	7/64"	Replacement Drill to suit 45107	762234491077	9.00
49109	9/64"	Replacement Drill to suit 45109	762234491091	9.00
49111	11/64"	Replacement Drill to suit 45111	762234491114	17.00
49113	13/64"	Replacement Drill to suit 45113	762234491138	17.00

## Shelf Pin Drill Guides

- ✓ Use shelf pin drill guides for drilling holes for standard shelf pins
- ✓ Brad point drill bits for sharp clean cut holes
- ✓ 3/8" nose to fit shelf pin jig



MODEL NO.	SIZE	DESCRIPTION	BARCODE	RRP
46005	5mm	Shelf Pin Drill Guide	762234460059	72.00
46016	1/4"	Shelf Pin Drill Guide	762234460165	72.00
781		Shelf Pin Drilling Jig	-	160.00

## Brad Point Drills



MODEL NO.	SIZE	DESCRIPTION	BARCODE	RRP
49005	5mm	Replacement Drill to suit 46005	762234490056	28.50
49016	1/4"	Replacement Drill to suit 46016	762234490160	28.50



# Plug Cutters/Drill Guides

## Hinge Bit Sets

- ✓ For precision centered holes
- ✓ Simplifies mounting hardware - switch from hinge bit to screw driver instantly



MODEL NO.	DESCRIPTION	BARCODE	RRP
45400	Snappy Quick Chuck & 3 Piece Hinge Bit Set (Includes 5/64", 7/64" & 9/64")	762234454003	100.00
40050	Snappy 5 Piece Hinge Bit Set (Includes 5/64", 7/64", 9/64", 11/64" & 13/64")	762234400505	171.00

## Plug Cutters

- ✓ Match wood grain to conceal screw or use contrasting wood for decorative look
- ✓ Chamfers plug for easy start
- ✓ Taper plug for tight, no-glue needed fit - almost invisible
- ✓ Sharp clean-cutting tool is hardened for long life
- ✓ Extended shaft with milled flats to prevent slippage
- ✓ For best results, use with a drill press



MODEL NO.	DESCRIPTION	PLUG SIZE	BARCODE	RRP
40316	Plug Cutter	1/4"	762234403162	28.50
40324	Plug Cutter	3/8"	762234403247	34.50
40332	Plug Cutter	1/2"	762234403322	40.00
40340	Plug Cutter	5/8"	762234403407	46.00
40348	Plug Cutter	3/4"	762234403483	66.00
40364	Plug Cutter	1"	762234403643	85.00

# Tool Pouch Sets

## 25 Piece Tool Pouch

If your customers use and need quality drilling accessories, this 25 piece pouch will satisfy their needs. Don't confuse this kit with some of the gimmick-low quality kits. This kit is designed for rugged everyday use by tradesman or the demanding hobbyist.

### KIT CONTENTS

- 5x Industrial Quality Countersinks**  
5/64", 3/32", 7/64", 1/8" & 9/64"
- 7x Drill Adaptors**  
1/16", 3/32", 1/8", 5/32", 3/16", 7/32" & 1/4"
- 6x Industrial Driver Bits**  
3x Phillips & 3x Square
- 1x Snappy Quick Change Chuck**
- 2x Countersink Stops**  
3/8" & 1/2"
- 1x Hex Socket Adaptor**
- 2x Hex Wrenches**
- 1x Nylon Pouch**



MODEL NO.	DESCRIPTION	BARCODE	RRP
48025	Snappy 25 Piece Tool Pouch	762234480255	200.00

## Deluxe Countersink Set

You can now offer your customers all the drilling accessories for countersinking in one kit. The Snappy countersinks are through-hardened to Rc 60 for long life, oversized set screws hold a standard drill bit securely in place. The 3/8" stop collar will allow you to drill a countersink with the screw head flush to the surface. Remove the collar for counterboring. The Snappy plug cutter will cut a 3/8" tapered plug. The fit is so tight that no glue is needed to hold the plug. A chamfered cut on the starting end makes it easy to align grain and start the plug in the counterbore. Snappy quick change chuck makes it easy.

### KIT CONTENTS

- 4x Industrial Quality Countersinks**  
5/64", 3/32", 7/64" & 1/8"
- 1x Countersink Stop**  
3/8"
- 1x Plug Cutter**  
3/8"
- 2x Industrial Driver Bits**  
1x #2 Phillips & 1x #2 Square
- 1x Snappy Quick Change Chuck**
- 1x Nylon Pouch**



MODEL NO.	DESCRIPTION	BARCODE	RRP
48010	Snappy Deluxe Countersink Set	762234480101	142.00

MODEL NO.	PAGE NUMBER	MODEL NO.	PAGE NUMBER	MODEL NO.	PAGE NUMBER	MODEL NO.	PAGE NUMBER
40003	4	42006	5	43008B	6	46335	6
40011	4	42007	5	43010S	6	46336	6
40012	4	42008	5	43011S	6	46337	6
40013	4	42008B	5	43012S	6	46338	6
40016	4	42009	5	43019S	6	46330	6
40020	5	42010	5	43124	7	46332	6
40030	7	42011	5	43132	7	46030	6
40050	9	42012	5	43400	7	48010	10
40316	9	42013	5	43540	7	48025	10
40324	9	42014	5	43750	7	48240	7
40332	9	42015	5	45105	8	49005	8
40340	9	42016	5	45109	8	49016	8
40348	9	42018	5	45111	8	49105	8
40364	9	42020	5	45113	8	49107	8
41100	4	42024	5	45400	9	49109	8
41102	4	43005	6	46005	8	49111	8
41103	4	43006	6	46016	8	49113	8
42004	5	43007	6	46309	6	781	8
42005	5	43008	6				

## JPM TOOLS PTY LTD TERMS & CONDITIONS:

1. Payment terms for approved account holders are STRICTLY net 30 days from statement date.
2. Non-account holders must pre-pay by cash, cheque, direct deposit or credit card.
3. Accounts not settled on the due date may incur account-keeping fees.
4. Upon delivery to the customers nominated delivery address or carrier, risk for the goods will pass to the customer.
5. JPM TOOLS Pty Ltd may act as an agent only for the customer in arranging freight. In such cases, risk passes to the customer on hand-over to the carrier.
6. Until full payment is made, property in the goods remains with JPM TOOLS Pty Ltd and the customer agrees to hold the goods as bailee for JPM TOOLS Pty Ltd.
7. Goods belonging to JPM TOOLS Pty Ltd in the customer's possession must be clearly identifiable as the property of JPM TOOLS Pty Ltd.
8. Claims for short supply will not be considered unless made within 7 days of receipt of partial supply, or within 14 days of receipt of statement listing non-received invoice.
9. JPM TOOLS Pty Ltd and/or the product manufacturer reserve the right to determine the validity of any warranty claim and whether to credit, replace or return the goods.

E. & O.E.

# JPM TOOLS

IMPORTER • DISTRIBUTOR

Proud distributors of the following leading brands...



The Snappy® brand is distributed exclusively in Australia by JPM TOOLS Pty Ltd.

**JPM TOOLS PTY LTD**  
ABN 97 817 292 987

12/18-20 Roberna Street  
Moorabbin Victoria 3189  
Australia

**TELEPHONE**  
(03) 9077 9135

**FAX**  
(03) 9077 9245

**EMAIL**  
tools@jpmtools.com.au

[www.jpmtools.com.au](http://www.jpmtools.com.au)